

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/054,535	01/22/2002	Keith G. Copeland	97,008-X	7198	
	10/00/2004		EXAMINER		
	MCDONNELL BOEHNEN HULBERT & BERGHOFF LLP 300 S. WACKER DRIVE			GORDON, BRIAN R	
	32ND FLOOR		ART UNIT	PAPER NUMBER	
CHICAGO, I	L 60606		1743	<u> </u>	
			DATE MAILED: 10/06/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

*	Application No.	Applicant(s)
Supplemental	10/054,535	COPELAND ET AL.
Notice of Allowability	Examiner	Art Unit
	Brian R. Gordon	1743
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIC of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport of the communication GHTS. This application is subject to the communication in the communication is subject to the communication is subject to the communication in the communication is subject to the communication in the communication is subject to the communication in the communication in the communication is subject to the communication in the comm	olication. If not included
1. This communication is responsive to <u>5-7-04</u> .	•	
2. The allowed claim(s) is/are <u>72,74,76-87 and 89-98</u> .		
3. \boxtimes The drawings filed on <u>1-22-02</u> are accepted by the Examine	er.	
4. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority doc International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" o noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives (a) including changes required by the Notice of Draftsperso 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date	been received. been received in Application No uments have been received in this r f this communication to file a reply of ENT of this application. ted. Note the attached EXAMINER's reason(s) why the oath or declarate be submitted. n's Patent Drawing Review (PTO-9 Amendment / Comment or in the Of	complying with the requirements S AMENDMENT or NOTICE OF ion is deficient. 148) attached fice action of
each sheet. Replacement sheet(s) should be labeled as such in the 7. DEPOSIT OF and/or INFORMATION about the deposi attached Examiner's comment regarding REQUIREMENT FOR	e header according to 37 CFR 1.121(d t of BIOLOGICAL MATERIAL m).
Attachment(s) . Notice of References Cited (PTO-892)	5. Notice of Informal De	tont Application (DTO 450)
Notice of Draftperson's Patent Drawing Review (PTO-948)	 5. ☐ Notice of Informal Pa 6. ☐ Interview Summary (I 	•
Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No./Mail Date 4/2200	5 11 (5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statemen 9. □ Other	t of Reasons for Allowance

Application/Control Number: 10/054,535

6

Art Unit: 1743

DETAILED ACTION

Allowable Subject Matter

1. Claims 72, 74, 76-87, and 89-98 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art does not teach, nor fairly suggest, a method of dispensing reagents onto a slide substantially as claimed in the instant claims. A method of dispensing reagents onto a slide, the method comprising the steps of: providing at least one reagent container; providing at least one slide on a slide support; automatically identifying the reagent container using a computer, the step of automatically identifying being based on information associated with the reagent container; automatically determining whether the reagent in the reagent container should be dispensed onto the slide; moving the reagent container and the slide support relative to one another to position the reagent container over the slide; and dispensing the reagent in the reagent container onto the slide based on the determination of whether the reagent in the reagent container should be dispensed onto the slide.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/054,535

Art Unit: 1743

Page 3

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian R. Gordon whose telephone number is 571-272-1258. The examiner can normally be reached on M-F, with 2nd and 4th F off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

brg

Jill Warden Supervisory Patent Examiner Technology Center 1700